Typhoon® Tungsten Carbide Burs- 2.35mm and 118" Shanks Made in USA. 35,000 RPM Maximum Speed

Typhoons have unique structurally aligned tungsten carbide points that last long and do not load quickly. Use the fine grits for general shaping and sanding. The coarse grit is for even more rapid and aggressive shaping and roughing out work. Typhoons are ideal for use on hard and soft woods, acrylic, die stone, plaster, hard rubber and fiberglass.

2.35mm (3/32") Shank Fine (Blue) Grit

Individual Burs \$17.60 Ea (except A-KB32119- \$19.90)



A-KB32315 A-KB32119 A-KB32915











AKHK83 \$52 3-Pc Typhoon Kit 2.35mm shanks: A-KB32119, A-KB32719, A-KB32913



AKHK85 \$68 4-Pc Typhoon Kit in small round bur holder with cover 2.35mm shanks: A-KB32119, A-KB32315, A-KB32519, A-KB32719

Shape Head Dia." Head Length"

1/8" (3.18mm) Shank Coarse (Red) and Fine (Blue) Grits Individual Burs \$17.60 Ea

(except A-KB18118, A-KB18119, AK18718 and A-KB18719-\$19.90)



A-KB18314 A-KB18315



7/16 A-KB18338 A-KB18339



3/16 3/4 A-KB18118 A-KB18119



1/2 A-KB18114 A-KB18115



3/4 A-KB18414 A-KB18415




3/16 7/8 A-KB18718 A-KB18719



1/2 A-KB18714 A-KB18715

Ball Nose Shape 5/16 Head Dia." Head Length" Coarse Part No.



3/16 A-KB18834 A-KB18835

11/16



5/8 A-KB18914 A-KB18915



1/2 A-KB18638 A-KB18639



5/16 1/2 A-KB18514 A-KB18515



1/2 A-KB18524 A-KB18525

AKHK84 \$68 4-Pc Typhoon Kit

1/8" (3.18mm) shanks: A-KB18119, A-KB18834, A-KB18414,

A-KB18715 Shape Head Dia." Head Length"

Coarse Part No.

Fine Part No.



Fine Part No.

A-HB58 \$4.80 **Brass Brush**

Overall Dimensions-5/8" wide x 5-3/4" long. Bristles-3/8" wide x 1-3/4" long x 5/8" high.

Typhoon Burs, Sanding Sleeves, and Discs are easy to clean with the A-HB58 Brass Brush. It removes dust or chips from between rows of carbide points. Caution-Do not use a file card or steel brush to clean Typhoon burs and sleeves.





Typhoon® Tungsten Carbide Burs- 1/4" Shanks

Made in USA. 25,000 RPM Max Speed for burs with heads less than 13/16" (21mm) in diameter and 10,000 RPM for burs with head diameters 13/16" (21mm) or larger.

1/4" (6.4mm) Shank Coarse (Red) and Fine (Blue) Grits. Priced Below



Ball Nose 5/16 1-3/4 A-KB14714 A-KB14715

\$20.40




Ball Nose 13/16 1-1/4 A-KB14734 A-KB14735 \$28



9/16 3/4 A-KB14712 A-KB14713 \$20.40



7/8 7/8 A-KB14395 N/A \$23.80



9/16 9/16 A-KB14312 Coarse P/N **A-KB14313** Fine P/N \$20.40

Head Dia." Head Lgth" Price Each



AK490 \$68 3-Pc Typhoon Kit 1/4" shanks: A-KB14533, A-KB14712, A-KB14979



Flame 7/8 1-3/8 A-KB14978 A-KB14979

\$28



Flame 5/8 1-1/16 A-KB14958 N/A

\$22



3/8 3/4 A-KB14912 A-KB14913

\$19.50



5/16 1-1/2 A-KB14114 A-KB14115

\$20.50



Taper 15° 13/16 1-3/8 A-KB14178 A-KB14179

\$28



Taper 15° 9/16 A-KB14158 A-KB14159

\$20.50



Taper 5° 13/16 (9/16) Head Dia." 1-1/4 Head Lgth" A-KB14198 Coarse P/N N/A Fine P/N \$28 Price Each



13/16 1-1/4A-KB14534 A-KB14535 \$28



9/16 1-1/4 N/A A-KB14533 \$23.20

Cylinder



9/16 Head Dia." 3/4 Head Length" A-KB14522 Coarse P/N N/A Fine P/N \$20.40 Price Each

Cylinder

Shape



1/4" Shank Sanding Sleeves Priced Below Made in USA. 10,000 RPM Max Speed for use on Foredom's M.BL & other Bench Lathes

\sim	Shank Size	Grit	Outer Dia.	Inside Dia		Sleeve Only Part No.	Use on Mandrel	Mounted Part No.
× × × × × × × × × × × × × × × × × × ×	1/4″	Coarse	15/16″	3/4″	1/2″	A-KB43524 \$20.60	A-SD143	A-KB43525 \$24
× × × × × × × × × × × × × × × × × × ×	1/4″	Fine	15/16″	3/4"	1/2″	A-KB43521 \$20.60	A-SD143	A-KB43522 \$24
***	1/4″	Coarse	15/16″	3/4"	1″	A-KB43544 \$26	A-SD144	A-KB43545 \$30

AK491 Sleeve Only Kit: Six A-KB43521 Fine Blue Sleeves \$119

AK492 Sleeve Only Kit: Six A-KB43524 Coarse Sleeves \$119



Expert carver, Frank Russell, uses smooth end cylinder to shape side to side without cutting into the area above the bur.

Angle Grinder Accessories – 2" Wheels

Foredom's 2" Angle Grinder Attachment for H.30, H.30H and H.30SJ Handpieces is wonderfully versatile because of the vast selection of accessories we offer for polishing, grinding, and sanding on virtually any material- metal, wood, stone, acrylic, ceramics, bondo, composites, resin, fiberglass, rubber and more. Angle Grinder accessories featured below and on the next few pages attach with special mounting hubs and mandrels. Various Angle Grinder accessories, when paired with different mandrels, can also be used in flexible shaft handpieces and the BL Bench Lathe, see pages 20 and 33.


Part Numbers and Prices shown in red on each page.



2" Tungsten Carbide Discs

with 3/8" Arbor Holes \$38 Ea Made in USA 10,000 RPM Max Speed

Typhoons have unique structurally aligned tungsten carbide points that last long and do not load quickly. Use the fine grits for general shaping and sanding and the coarse grit for more rapid and aggressive shaping and roughing out work. Ideal for hard and soft woods, acrylic, die stone, plaster, hard rubber and fiberglass.



Mount with A-69212 Short Hub that comes in Angle Grinder Kit, See page 20

Carpenter and woodcarver, Ted Knapp, uses a Typhoon Disc to hollow out a decoy.

Fl	at Face Discs	Grit
1	A-KB25626	Coarse
2	A-KB25627	Fine

Round Face Discs

3	A-KB25628	Coarse
4	A-KB25629	Fine

2" Abrasive Wheels with 3/8" Arbor Holes \$5 Ea* Made in USA

Use Aluminum Oxide on high tensile, tough materials including stone, porcelain, glass, and steel. A-10054 Cup Wheel for medium to fine finishing, A-10062 Tapered Wheel for med, to fine finishing, A-10063 Wheel for extremely fine cutting. A-10068 Silicon Carbide for grinding, rough finishing, deburring, smoothing, cleaning low-tensile, brittle or 'smeary' type metals such as aluminum, brass, stainless steel, glass, stone, and non-metals. CeramCut Blue Wheels A-10064 and A-10065 (Cup Shape) last 3 to 5 times longer and removes material faster. Can be used on hardened and mild steel, steel alloys, chrome cobalt, titanium, platinum, other ferrous metals and wood.



Aluminum Oxides Grit **A-10054** Cup 150

2 **A-10062** Taper 120 Use on Edge not Flat side

3 A-10063 400 Use on Edge not Flat side

Silicon Carbide Grit 4 A-10068 100 Use on Edge not Flat side

CeramCut Blue Stones 120

5 A-10064 Use on Edge not Flat side

6 A-10065 (* \$8.90) 100 5/8"w, 1/2" thick cup working face 15,000 RPM Max Speed

2" Abrasive Flap and Cut Off Wheels with 3/8" Arbor Holes

Flap Wheels \$2.20 Ea, \$9.80/5Pk Cut Off Wheel \$1.90 Ea

Flap Wheels are made from aluminum oxide mineral and are used for fast clean-up and pre-polishing work. 10,000 RPM Max Speed. Fiberglass Reinforced Cut Off Wheel is used to cut off, groove, & trim metal, wood, and ceramics, 2" x 3/64" thick, 60 grit, 30,000 RPM Max Speed.



Flap Wheels

P/N Ea 5Pk P/N A-2201 A-2201-5 A-2202 A-2202-5 A-2203 A-2203-5

Grit

A-2204 A-2204-5

A-2205 A-2205-5

Assortment, 5-Pc-1 Each Grit: AK2200 \$ 9.80

Fiberglass Cut Off Wheel 6 A-D11 \$1.90 Ea

Angle Grinder Accessories- New 2" Screw-Lok

Easy to use Screw-Lok accessories are similar to the 3M Roloc™, and commonly used in industrial, automotive, boating, arts & crafts, and other industries. We offer Abrasive Pads, Aluminum Oxide Sandpaper Discs, and a Felt Wheel with plastic Screw-Lok backings for secure and easy attachment to our **NEW** A-69225 Screw-Lok Plastic Disc Mandrel that comes in Angle Grinder Kits and separately. Screw-Lok accessories can also be used with certain flex shaft handpieces when mounted on our NEW 1/4" shank A-M36 Mandrel, see page 20.

NEW 2" Abrasive Pads with Screw-Lok Backing

10,000 RPM Max Speed Priced Ea

Long lasting, aggressive Screw-Lok 2" pads for tough blending and finishing applications. Ideal for deburring, oxide and fire scale removal, cleaning, blending and smoothing. Layered, durable unitized or non-woven construction with Screw-Lok backing for secure and easy attachment to NEW A-69225 Screw-Lok Mandrel or NEW 1/4" shank A-M36 Mandrel for use in handpieces, see page 20.




Part Numbers and Prices shown in red on each page.

A-69212L Long Hub comes in Angle Grinder Kits. See Page 20.

NEW 2" Aluminum Oxide Sandpaper Discs

with Screw-Lok Backing \$1 Ea, \$9/10Pk 10,000 RPM Max Speed

2" Sandpaper Discs have holes which help to prevent clogging. They overhang their Screw-Lok plastic backing for added flexibility and sanding contours. Available individually and in 10-Packs from 24 to 600 grit. A 40 and 120 grit disc come in Angle Grinder Kits. Use with NEW A-69225 Screw-Lok Mandrel or NEW 1/4" shank A-M36 Mandrel for use in handpieces, see pg 20.



Accessory with Screw-Lok Backing **NEV** A-69225 Screw-Lok Mandrel, see pg 20

Abrasive Pads:

Part No.		Price T	hick"	Grit / Type	
1	A-3512	\$5	9/16	Ultra Rough	
				Unitized	
2	A-3514	\$5	19/32	Rough	
				Unitized	
3	A-3522	* \$2.20	5/32	80	
				Non-Woven	
4	A-3524	\$2.20	5/32	120	
				Non-Woven	
5	A-3526	\$2.20	5/32	240	
				Non-Woven	
6	A-3527	\$2.20	5/32	320	
				Non-Woven	
As	Assortment, 6-Pc-				
	AKATOO	446 1			

AK3500 \$16 1 each of pads above

7	A-10055 \$10 1/4	Coarse
	Use on edge or rim	Unitized

Aluminum Oxide Sandpaper Discs:

\$1 Ea		\$9/TUPK	
Pa	art No. Ea	10Pk Part No.	Grit
1	A-3601	A-3601-10	24
2	A-3602*	A-3602-10	40
3	A-3603	A-3603-10	80
4	A-3604*	A-3604-10	120
5	A-3606	A-3606-10	240
6	A-3607	A-3607-10	320
7	A-3608	A-3608-10	400
8	A-3609	A-3609-10	600

Assortment, 16-Pc- All Grits:

AK3600 \$14.50 2 ea of discs above

Assortment, 8-Pc- Coarse Grit:

AK3610 \$7.50 2 ea of 24, 40, 80 & 120 grit discs

Assortment, 8-Pc—Fine Grit: AK3620 \$7.50 2 ea of 240, 320, 400 & 600 grit discs

NEW 2" Felt Wheels with Screw-Lok Backing and Wheels with 3/8" Arbor Holes 10,000 RPM Max Speed for A-3402 and 20,000 RPM for A-KE6 and ARFWAGSE

Medium Hard Screw-Lok Backed Felt Wheel A-3402 has a softer edge that provides a flexible surface for Felt Wheels: contours. Use with new A-69225 Screw-Lok Mandrel. Hard Density Felt Wheels A-KE6 and ARFWAGSE with 3/8" Arbor Holes are made from tightly compressed felt. They hold an edge for working in angles and corners. They mount to the Angle Grinder with the A-69212L Long Hub. All three wheels are made from top quality wool and used with polishing compounds for polishing and lapping on metals, plastics, wood and other materials

NEW	Felt Wheel with
NEV	Felt Wheel with
	Screw-Lok Backing
Vi.	
VG.	
- 10	
	The same of the sa

Knife Edge Felt Wheel 3/4" Thick Felt Wheel Wheels with Arbor Holes, Not Screw-Lok A-69212L Long **Hub comes in Angle** Grinder Kits. See Page 20. 2

Thick"/ Type Part No. **Price** 1 A-3402 5/16 \$2 Medium

2 **A-KE6** \$5.80 Knife Edge Hard

3 ARFWAGSE \$15.50

1-7/8" dia, 1/2" from arbor hole to edge

3/4

Hard

Angle Grinder Accessories – Discs and Kits

Radial Bristle Discs can also be used with Mandrels in Flexible Shaft Handpieces and special Adapters for use with BL Bench Lathe, see page 18.

2" Scotch-Brite™ Radial Bristle Discs with 3/8" Arbor Holes \$21.85 per 6Pk

Made in USA. 30,000 RPM Max Speed

3M Scotch-Brite Radial Bristle Discs are molded plastic discs embedded with 3M Cubitron™ and aluminum oxide mineral. The abrasive filled bristles apply a continuous fresh supply of mineral eliminating the need for compounds. Their flexible bristles reach into grooves and contours. Clean and remove dirt, rust, and oxidation without damage to the underlying surface. Varying the speed allows you to obtain different finishes. Mount 1-2 discs on Short Hub and 3-4 on Long Hub.



6Pk of Discs		Grit Cole	
1	A-4542-6	80	yellow
2	A-4543-6	120	white
3	A-4544-6	220	red
4	A-4545-6	400	blue
5	A-4546-6	Pumice 1,200	pink
6	A-4547-6	6 Micron 3,000	peach
7	A-4548-6	1 Micron l 14,000	t. green

Assortment Kits See individual accessory listings for Maximum Speed



AK6903 \$100

Woodcarving Kit, 60-Pc

Typhoon Carbide Disc A-KB25628, CeramCut Blue Wheel A-10064, Scotch-Brite Radial Bristle 80-Grit Discs A-4542-6, 5 ea of Aluminum Oxide Sanding Discs A-5632-5, A-5633-5, A-5634-5, A-5635-5, Abranet Sanding Screen Kit AK10030, 25 PSA Velcro Discs A-10041, 2 Disc Protector Pads A-10042.



Metal Working Kit, 73-Pc

Square Edge Felt Buff ARFWAGSE, Silicon Carbide Wheel A-10068, Aluminum Oxide Wheel A-10063, Abranet Sanding Screen Kit AK10030, 2 Disc Protector Pads A-10042, 1-oz Platinum White Polishing Compound A-40061, 5 ea of Imperial Microfinishing Discs A-4591, A-4592, A-4593, A-4594, A-4596, A-4598, 2 Cut Off Wheels A-D11, 30 PSA Velcro Discs A-10041.

AK6901 \$65

Stone Carving Kit, 20-Pc Flexible Diamond Disc A-5752, **Diamond Microfinishing Discs** A-4452, A-4453, A-4454, A-4455, A-4456, A-4457, A-4583, 2 Cerium Oxide Discs A-4408, 10 PSA Velcro Discs A-10041.

10,000 RPM Max Speed

1" & 2" Quick Change Sanding Discs- \$3.50/10Pk \$5.25/10Pk

Quick Change Sanding Discs are made of economical aluminum oxide grain and have a slotted, hard plastic backing. The 2" size disc overhangs the plastic backing and offers excellent flexibility for sanding contours. This style disc REQUIRES the use of a A-69223 Quick Change Arbor with Cross Bar that mounts onto the Angle Grinder. Once the arbor is installed, it is quick and easy to make grit changes. 10Pks of 1" and 2" diameters Discs come in 5 different grits. **Mount with**



with Cross Bar. See Page 20 A-69223 \$5.00





A-69223 Quick

1" Part No.	2" Part No.	
10Pk	10Pk	Grit
A-2241-10	A-2261-10	60
A-2242-10	A-2262-10	120
A-2243-10	A-2263-10	240
A-2244-10	A-2264-10	320
A-2245-10	A-2265-10	600
1" Assort.	AK2240 \$3.5	50
	2 ea of 5 grits	S
2" Assort.	AK2260 \$5.2	25
	2 ea of 5 grits	5
15,000 RPN	л Max Speed	1

Always Wear Eye and Dust Protection While Using Rotary Power Tools and Accessories

FOREDOM®

FOREDOM ELECTRIC CO.

Angle Grinder Accessories-2" Sanding Heads and PSA Discs

Mounting Pressure Sensitive Adhesive (PSA) Sanding Discs on Angle Grinder-

PSA Disc A-10041 has a Velcro® **Loop** fabric surface that is **REQUIRED** to adhere all PSA 2" sanding discs (featured on this and next page) to the Velcro® **Hook** surface of Disc Mandrel A-69222 OR the Velcro® **Hook** surface of Sanding Heads shown below. PSA Velcro® Disc A-10041 insulates, prevents slippage, and permits reuse of sanding discs.

Mounting directions:

- Remove the protective backing from sticky side of white PSA Velcro® Loop Disc A-10041
- Remove backing from sticky side of PSA Sanding Disc (Flex Diamond, Ceramic Purple, Aluminum Oxide, etc).
- Put sticky sides together and mount Velcro® Loop white fabric side down onto Velcro® Hook surface of Disc Mandrel A-69222 or Sanding Head below.



A-10041
Velcro® Loop Side and PSA Sticky Loop Disc Reverse

Velcro® Hook Backed Disc Mandrel (Screws onto Angle Grinder):
A-69222 Each \$6

PSA Velcro® **Loop** Backed Discs: A-10041-5 (5Pk) \$4.20



2" Velcro® Hook Sanding Heads with 3/8" Arbor

Holes. Made in USA. 20,000 RPM Max Speed Priced Below

Sanding Heads can vary the firmness or softness of the pressure from an abrasive disc. Use PSA Velcro Loop Disc A-10041 to attach actual sanding discs to these heads. The Velcro sanding heads have a velcro hook surface and mount onto the Angle Grinder with A-69212L Long Hub. Heads can also be used with A-10042 Disc Holder Protector Pad with Sanding Screens, see below and with items on this and next page.



Photo courtesy of www.iadecarver.com

AR10046 Sanding Head with PSA Flex Diamond psa disc on California

Usina

Mount with A-10041 PSA Velcro Loop Disc & A-69212L Long Hub that come in Angle Grinder Kits. See Page 20

Mount with A-10041 PSA
Velcro Loop Disc & A-69212L

Mount with Sanding Heads Price Ea 1 AR10043 \$10.50 Extra Firm, 3/16" thick

2 AR10044 Firm, 5/16" thick	\$11.00
3 AR10045 Medium, 3/8" thick	\$11.50
4 AR10046 Soft, 5/8" thick	\$12.50



Also for use with Screw Mandrels A-M-30 and A-M31 on page 18

2" Ceramic Purple PSA Sanding Discs \$1.25 Ea, \$11.25/10Pk

3M Ceramic Purple Abrasives are excellent for sanding and finishing wood, metals, fiberglass, diestone, plastics, and other materials. Its patented Cubitron™ ceramic aluminum oxide mineral sharpens itself with use. Ceramic Purple discs last 2 to 4 times longer than traditional aluminum oxide and offer faster stock removal with less heat and loading. Other sizes of discs and bands are available for use in handpieces, see page 10.



2" Aluminum Oxide PSA Sanding Discs \$4.30/5Pk, \$8/10Pk

3M Aluminum oxide sanding discs are made of high-grade mineral and a bonding system which reduces shelling of the mineral. These economical abrasives are excellent for fast clean-up and pre-polishing work. Several sizes of bands are also available for use in handpieces, see page 11.



\$1.25 Ea Individual	\$11.25/10Pk 10Pk		
Part No.	Part No.	Grit	
A-5682	A-5682-10	60	
A-5683	A-5683-10	80	
A-5684	A-5684-10	120	
A-5685	A-5685-10	220	
Assortment AK5680 \$4.50 1 each of 4 grits			

Mount with A-10041 PSA Velcro Loop Disc & A-69222 Velcro Hook Disc Mandrel or Velcro Hook Sanding Head



\$4.30/5Pk 5Pk	\$8/10Pk 10Pk	
Part No.	Part No.	Grit
A-5632-5	A-5632-10	60
A-5633-5	A-5633-10	80
A-5634-5	A-5634-10	120
A-5635-5	A-5635-10	220
Assortment AK5	630 \$6.50 2 each o	f 4 grits

Angle Grinder Accessories-2" PSA Sanding Discs

Made in USA. 10,000 RPM Max Speed

Mount with A-10041 PSA Velcro® Loop Disc & A-69222 Velcro Hook Disc Mandrel or Velcro Hook Sanding Head. See Pages 20 and 31

2" Flexible Diamond PSA Sanding Discs


3M Flexible Diamond PSA discs are made from a 2-ply polyester backing film evenly coated with diamond filled nickel plated dots. Grind, sand, and smooth wet or dry on glass, carbide, composites, plastic, enamels, stone, steel, exotic alloys, gypsum, ceramics, wood, bone, chrome cobalt, painted or plated surfaces. Use wet when working with gemstone, rock and glass. Bands also available for use in handpieces. See page 8.



Individual Part No.	Price Each	Grit	r	Micron
A-5752	\$16.50	60		250
A-5753	\$13.20	120		125
A-5754	\$11.20	220		74
A-5756	\$9.25	400		40
A-5758	\$9.25	800		20
Assortment	5-Pc- All Grits.	ΔK5750	\$55	

Angle Grinder Sanding Heads and PSA Discs can also be used with 'Velcro Friendly' 2" Disc Mandrels in Flexible Shaft Handpieces and M. BL Bench Lathe, see page 20 for details.

2" Diamond Microfinishing Film PSA Sanding Discs



Use 3M Cerium Oxide for achieving a final, high shine polish on gemstone, rock and glass. Discs should be used wet and results are also best when used after a 1,200–4,000 grit abrasive. See page 9 for other discs & bands for use in handpieces.

3M's Diamond Micro Finishing PSA discs have flexible film backing suitable for metal and lapidary applications. They work great on all materials including stone, glass and hard to work on stainless steel and titanium. Use wet when working with gemstone, rock and glass. Bands and a smaller disc also available for use in handpieces. See page 9. Indiv. Part No. Price Ea Grit Micron

A-4408

2" Cerium Oxide 3 Polishing Disc 4 \$5.60 Ea 5



	indiv. Part No	o. Price Ea	Grit	iviicron
1	A-4452	\$4.50	120	125
2	A-4453	\$4.40	220	74
3	A-4454	\$4.40	320	45
4	A-4455	\$4.40	400	30
5	A-4456	\$4.40	600	20
6	A-4457	\$4.40	1,200	9
7	A-4583	\$7.80	4,000	3
	Cerium Oxid	le Polishing	Disc:	

Assortment, 7-Pc— One each grit of Diamond Microfinishing Film Discs: AK4450 \$17
Assortment, 16-Pc— One each grit of Diamond Microfinishing Film Discs, A-10040 Velcro Hook, A-10041 (8) Velcro Loop: AK4450 \$17

\$5.60

50,000

.5

2" Imperial Microfinishing Film PSA Sanding Discs \$5.40/10Pk, \$25/50Pk

Use 3M Imperial Microfinishing Film PSA discs dry on metal and wet on stone. High strength polyester film backing coated with premium, micron graded aluminum oxide particles provides greater cutting efficiency and is resin bonded for increased durability. This fast-cutting abrasive pro-



	Part No.	Part No.	Grit / Micron
1	A-4591-10	A-4591-50	1,200 / 9
2	A-4592-10	A-4592-50	600 / 15
3	A-4593-10	A-4593-50	400 / 30
4	A-4594-10	A-4594-50	320 / 40
5	A-4596-10	A-4596-50	220 / 60
5	A-4598-10	A-4598-50	180 / 80

2" Abranet™ Sanding Screens with Velcro Loop Backing \$6.10/5Pk

Aluminum oxide grain abrasive coating bonded to unique, durable, open construction polyamide fabric for uniform sanding. Screens have Velcro Loop backing and MUST be used with A-10042 Disc Holder Protector Pad on Velcro Hook Disc Mandrel A-69222 or with Velcro Hook Sanding Heads. Tap or blow screens out to clean dust from sanding. Will not clog, even on wet or green wood.

Disc Holder Protector Pads:

This orange-colored velcro pad forms a secure connection between the Abranet sanding screen and the disc mandrel. It prevents overheating & clogging. Using one for each grit is recommended to prolong the life of the Abranet Screens. Use orange side on the Abranet Screen back and white side for Velcro Hook Disc Mandrel or Velcro Hook Sanding Head.



Abranet Screens	
5Pk Part No.	Grit
A-10032-5	80
A-10033-5	120
A-10034-5	180
A-10035-5	240
A-10036-5	320
Assort 5-Pc AK100	30

Assort, 5-Pc AK10030 \$6.10 1 ea of 5 grits

essories FOREDOM®


FORFDOM FI FCTRIC CO

M.BL Bench Lathe Accessories

Made in USA. 7,000 RPM Max Speed

Unmounted 2-1/2" x 3/8" thick **EVE Wheels** with 1/4" Arbor Holes for use on BL Bench Lathe with A-WM-5 & A-WM-6 Wheel Mandrels

New, larger diameter 2-1/2" Silicone Wheels make short work of larger finishing jobs for jewelers and metal smiths. Wheels can be used on the face or its side for lapping and can be contoured to any shape with the use of a dressing stone or diamond file. They create very little dust and are long lasting when used properly. **Note:** While wearing safety glasses, wheels can be contoured with steps, channels, and half round grooves to help prep any large piece for polishing. However care should be used not to crack, tear, or break the silicone wheels.



1, 2 & 3 Universal Silicone Wheels are good for smoothing, grinding and preparing larger cast pieces for a final polish. Use on ferrous & non-ferrous metals.

4 & 5 Platinum Wheels for Platinum, Stainless Steel & Chrome-Cobalt offer a less aggressive ap-

proach for finishing hard metals.

6 & 7 **Pumice Wheels** for finishing metals already set with natural and man-made gemstones.

NEW Sizes of EVE Wheels Exclusive to Foredom \$18 Ea

1	Part No. A-5541	Application Universal	Grit Coarse
•			
2	A-5542	Universal	Medium
3	A-5543	Universal	Fine
4	A-5545	Platinum	Medium
5	A-5546	Platinum	Fine
6	A-5547	Pumice	Medium
7	A-5548	Pumice	Fine

Unmounted 3" Satin Finisher Double Ply Wheels with Canvas Reinforced Arbor Holes for use on Tapered Spindles of BL Bench Lathe \$6.50 Ea.

Can also mount onto **NEW** A-M89 Mandrel for use in Flexible Shaft Handpieces, see page 18.

New and improved Scotch-Brite Satin Finisher Wheels give metal a soft, medium, or coarse finish. All grades are handy at removing firescale from sterling silver and copper and can also be used to prepare pieces for polishing. Wheels perform well around all types of contoured surfaces and give a uniform finish. They stay together better than traditional satin finishers therefore creating less dust and particles in the air.



	\$6.50 Ea	
	Part No.	Grit
1	A-5534	Extra Fine
2	A-5535	Fine
3	A-5536	Medium
4	A-5537	Coarse

Unmounted 2" Abrasive Wheels with 1/4" Arbor Holes for use on BL Bench Lathe with A-WM-5 & A-WM-6

Wheel Mandrels Use 1, 2, 3 and 7 on any metal. Use 6 for smeary metals like aluminum and pewter. 4 & 5 are for ferrous alloys.



	JJ La				
	Part No.	Material	Dia.	Thick	Grit
1	A-10072	Aluminum Oxide	1-3/4	3/8	60
2	A-10074	CeramCut Blue	2	1/4	120
3	A-10073	Aluminum Oxide	1-7/8	1/4	400
4	A-10075	Salt & Pepper	2	1/4	46
5	A-10077	Silicon Carbide	2	1/4	100
6	A-10078	Silicon Carbide	2	1/4	100
7	A-10076	V Stone	2	1/4	46

Unmounted Cotton and Felt Buffs for use on Tapered Spindles of BL Bench Lathe

Cotton Buff A-CB1 can also be used on a flex shaft handpiece with mandrels A-M78 or NEW A-M89. Felt Buff A-W305 can mount on a handpiece with mandrels A-M8 or A-M85. See mandrels on page 18.



	Part No.	Material	Dia.	Thick	Hole
1	A-CB1	Cotton, 16 ply	2-1/2	1/2	Pin
2	A-W305	Felt	2	3/8	1/4

Chisels for Foredom H.50 & H.50C Handpieces and other Reciprocating Power Chisels Max: 10,000 Strokes per Minute


These pre-sharpened, quality made steel chisels are for use in Foredom's H.50 reciprocating chisel handpiece, at right, and other power chisel tools, including those from Proxxon and WeCheer. The cutters have 18mm long tangs and 55mm and 75mm overall lengths—from cutting edge to end of tang. Cutters in the A-KC500 Series are 55mm and those in the A-KC700 series are 75mm long. Priced individually and in sets below.





#1 x 9mm #1 x 14.5mm A-KC509 A-KC511 Part No. Price Each \$7.50 \$9.50 55 55 Length mm 2, 3 Comes in Sets 1, 3

#2 Right Skews Single Bevel



#2 x 9mm #2 x 14mm A-KC510 A-KC512 \$7.50 \$9.50 55 55 1, 3


Fluteroni



8mm 12mm A-KC515 A-KC721 \$9.50 \$10.50 55 75 5 3, 4

#3 and #7 Sweeps







#7 x 8mm A-KC504 \$7.50 55 1,3



#7 x 13mm #7 x 17mm A-KC718 A-KC502 \$9.50 \$10.50 55 75 2, 3 5

#8, 9, 11 Sweeps



#8 x 10mm #9 x 9mm A-KC508 Part No. \$9.50 Price Each Length mm 55

Comes in Sets 2, 3

#9 x 6mm A-KC514 A-KC517 \$9.50 \$7.50 55 55



A-KC723 \$10.50 75



A-KC505 \$7.50 55 1, 3

70°, 75°, 110° Parting Tools







A-KC717 \$10.50 75



A-KC516 \$7.50 55



75° x 12mm 110° x 7mm 110° x 11mm 110° x 16mm A-KC513 A-KC722 \$9.50 \$10.50 55 75 4 5

Chisel Sets

Sets 1, 2, 4, and 5 come packed in hanging plastic case. Set 3 comes in A-KC500 canvas pouch.

Set 1 AKHK550 6-Pc \$41 A-KC503, A-KC504, A-KC505, A-KC506, A-KC509, A-KC510

AKHK560 5-Pc A-KC501, A-KC502, A-KC507, A-KC508, A-KC511

AK510 12-Pc **\$79** Set 3 A-KC501, A-KC502, A-KC503, A-KC504, A-KC505, A-KC506, A-KC507, A-KC508, A-KC509, A-KC510, A-KC511, A-KC515 in A-KC500 Canvas Pouch

Set 4 AKHK570 6-Pc A-KC512, A-KC513, A-KC514, A-KC515, A-KC516, A-KC517

AKHK580 5-Pc Set 5 A-KC717, A-KC718, A-KC721, A-KC722, A-KC723



A-KC500 \$21 Empty Canvas Pouch

12-Pc Chisel Set (AK510) comes packed in canvas pouch shown above. Includes chisels in Set 3.

Open Canvas Pouch measurements: 7-1/2" x 6-1/4". Folds to 2" x 4-1/8".



Dimensions shown in mm

AKHK550 Typical dimen-AKHK560 sions for larger cutters in Set 5 AKHK570.





Frank Stetson, Connecticut relief woodcarver, uses our Chisels

FOREDOM®

AK510,

and

FOREDOM ELECTRIC CO.

Hammer Handpiece Accessories

Made in USA. 0-5,000 Strokes per Minute Max Speed

These six threaded anvil points fit Foredom Flex Shaft Hammer Handpieces, Foredom Micromotor Hammer Handpiece and the Swiss made Badeco Hammer Handpiece. They are heat treated steel made to the finest specifications and finished with black oxide.

HP10171	\$9	Ball Nose 3/32" (2.35mm) dia.	
HP10172	\$9	Fine Point .015" (.4mm) dia.	
HP10173	\$12	Square 3/32" (2.35mm)	
HP10175	\$12	Cylinder 7/32" (6mm) dia.	
HP10176	\$12	Rectangle 3/32" x 3/16" (2.35mm x 4.8mm)	
HP10179	\$29	Bezel Rocker 5/16" x 1/16" (8mm x 1.6mm)	

AK101 \$75

6-Pc Kit Anvil Points


Includes Ball Nose, Fine Point, Square, Cylinder, Rectangle and Bezel Rocker. Points shown at left.

Other Hammer Tips

other manifer mps	
Carbide Stylus	
HP10212 \$38	H.15, H.15D, H.15SJ
4-48UNF-2A thread	Handpieces
HP10215 \$38	H.9D PowerGraver
Non-threaded	Handpiece
Diamond Tip Pavé Point	
A-R15PT \$38	H.15, H.15D, H.15SJ
4-48UNF-2A thread	Handpieces
Flat Top Taper	
HP10177 \$6	H.15, H.15D, H.15SJ
4-48UNF-2A thread	Handpieces
HP10177K \$6	Micromotor Hammer
M3 X 0.5 thread	MPMH-011 Handpiece
HP10177P \$6	H.9D PowerGraver
Non-threaded	Handpiece

NEW Foredom Filer Accessories

Maximum Input Motor Speed of 10,000 RPM (or 4,000 SPM)



EDM Abrasive Stones, 120, 220, 400 Grit

12mm wide x 3mm thick x 67mm long. 1/2" wide x 1/8" thick x 2-5/8" long Hard aluminum oxide stones especially developed for the polishing of EDM machined surfaces. Stones break down slowly and retain shape. Excellent for hard steel tools.

A-894120 \$1.80 120 grit
A-894220 \$1.80 220 grit

A-894400 \$2.30 400 grit



6-Pc Set AK894000 \$10 2 of ea Grit

Super Stones Rods and Bars

Super Stones produce uni-Rods \$17.50 ea. form surface finishes and 3mm dia. x 50mm long come in color coded grits. A-SSR12003 1,200 grit Long lasting, heat and wear resistant with ceramic fibers A-SSR10003 1,000 grit that will not break or dull. They are great for polishing A-SSR8003 800 grit narrow slots, interior and A-SSR6003 600 grit intricate spaces on all types of metals including gold, A-SSR4003 400 grit platinum, stainless, copper, aluminum, and even silicon A-SSR3003 300 grit and plastics. Must be used with Abrasive Tool Holder. A-SSR1803 180 grit Bars \$9.50 ea. 0.5mm thick x 1mm wide x A-SSR1203 120 grit 100mm long A-SSF120012 1,200 grit A-SSF100012 1,000 grit

Replacement Sandpaper Belts for Foredom Belt Sander 5,000 RPM Maximum Speed, 500–4,000 RPM Optimum Speed

257mm Long Replacement Sandpaper Belts come in 7mm & 10mm widths

237mm Long Replacement Sandpaper Berts Come in 7mm			
Grit	7mm Belts*	10mm Belts	
	\$3.50/5Pk	\$4.50/5Pk	
100	A-797415	A-797515	
180	A-797425	A-797525	
240	A-797435	A-797535	
320	A-797445	A-797545	
600	A-797455	A-797555	
1 000	A-797465	Δ-797565	



	Assortments 7mm Belts	Assortmen 100mm Be	
Coarse	3 ea. of 100, 180, 240 grit AK797409 \$5/9Pk	AK797509	\$6.50/9Pk
Fine	3 ea. of 320, 600 and 1000 AK797429 \$5/9Pk	grit AK797529	\$6.50/9Pk
Coarse & Fine	3 ea. of 100, 180, 240, 320, AK797439 \$10/18Pk		

A-SSF80012 800 grit

A-SSF60012 600 grit

^{* 7}mm Belts came installed on Older Models of Belt Sanders with Serial #'s from H11XXXXX to H09XXXXX

Our mission is to offer the best quality and selection of accessories for accomplishing what you do best whether you're a jeweler, woodcarver, machine shop operator, custom manufacturer, fabricator, research scientist, lab technician, conservator, display designer, sculptor, artisan, crafter or home shop enthusiast.

Our catalog features what you expect from Foredom- a vast selection of items in different sizes, shapes and grits. Since quality is key, the majority of our accessories are made in the USA, and nearly all of the rest come from Switzerland, Germany, and Belgium.

Product Index

New Items Shown in Red

Page	Page
Abrasive Cleaner	Cerium Oxide Polishing Bands & Discs, 3M 8
Abrasive Discs and Wheels	Chisels, Cutters
Aluminum Oxide Grinding Stones 5, 33	Cobalt Steel Step & Twist Drills 22-23
Aluminum Oxide Points5	Collet Adapters
Aluminum Oxide Sanding Bands & Discs, 3M 11, 31	Compounds
Aluminum Oxide Sanding Flap Wheels 10, 28	Cotton Buffs17
Angle Grinder Accessories – 2" 28-32	Cut-Off Wheels
Abranet™ Sanding Discs	CW Polishing Wheels
Abrasive Pads—Screw-Lok 29	Diamond Chamfer Points— Plated
Abrasive Wheels 28	Diamond Cutting Discs— Plated 6-7
Aluminum Oxide PSA Sanding Discs	Diamond Hones
Aluminum Oxide Sanding Flap Wheels 28 Aluminum Oxide Sandpaper Discs—Screw-Lok 29	Diamond Points and Discs— Plated & Sintered 6-7
Arbors & Hubs for Mounting Accessories 20	Diamond Microfinishing Film Bands & Discs, 3M 9
Assortment Kits	Diamond Twist Drills
Ceramic Purple PSA Sanding Discs 31	Dressing Stone23
Diamond Microfinishing Film PSA Sanding Discs 32	Drills
Felt Wheels—Screw-Lok & Non-Screw-Lok 29	Dust Mask
Fiberglass Cut Off Wheel	Ear Plugs
Imperial Microfinishing Film PSA Sanding Discs	Felt Bobs
Scotch-Brite™ Radial Bristle Discs, 3M 30	Felt Buffs
Screw-Lok Accessories	Filer Accessories
Quick Change Sanding Discs	Diamond Needle File Sets
Typhoon® Tungsten Carbide Discs	EDM Abrasive Stones
Velcro® Hook Sanding Heads	Super Stones, Bars & Rods
Assortment Kits	Flap Wheels
	Flexible Diamond Sanding Bands & Discs, 3M 8
BL Bench Lathe Accessories	Hammer Tips
Adapters for Mounting Accessories	High Speed Steel Fluted Burs
Cotton & Felt Buffs, Unmounted, 2" & 2-1/2" 17, 33	Imperial Microfinishing Film Discs, 3M 9
EVE Wheels- 2-1/2"	Latch Type Abrasive Points24
Satin Finisher Wheels— 3"	Mandrels
Trizact Sanding Bands & 3" Discs, 3M 11	Micro Chucks
Brass Cleaning Brush23, 26	Miniature Carbide Burs
Brushes— Bristle, Steel, Brass, Wire, Nylon 13	Muslin Wheel
Buffs- Muslin, Cotton, Felt, Goblet 17	Plated Diamond Points and Discs 6-7
Bur Holders	Polishing Buffs
Carbide Burs	_
Carving Drills	Polishing Compounds
CeramCut Blue Stones and Wheels 3-4, 28	
Ceramic Purple Sanding Bands & Discs 10, 31, 33	Respirator, 3M

Page
Rubber Bonded Abrasive Wheels & Discs12
Rubber Drum Mandrels
Rubber Sanding Disc Mandrels 20
Ruby Carvers
Safety Kit
Safety Glasses
Sandpaper Belts for Belt Sander Attachment 35
Satin Finishers
Scotch-Brite™ Radial Bristle Discs, 3M 14-15, 30
Screwdriver
Screw-Lok Mandrels20
ilicon Carbide Wheels
intered Diamond Points and Discs 6
iteel Carving Drills
iteel Cutters24
iteel Fluted Engraving Burs24
itep Drills– Cobalt, Diamond Plated, Steel 22
ape, 3M Super Bond20
rizact™ Sanding Bands & Discs, 3M 11
wist Drills— Cobalt, Dlamond Plated 22-23
yphoon® Tungsten Carbide Burs & Kits 26-28
yphoon® Tungsten Carbide Sanding Sleeves 27
Jnitized, Non-Woven Points
/etrap Tape, 3M
/ Stones
/elcro Hook PSA Discs20, 31
/elcro Loop PSA Discs 20, 31
/elcro Hook Sanding Heads
Net/Dry Polishing Papers, 3M 20
Vet Stick

Foredom Electric Co.

www.foredom.net

16 Stony Hill Road, Bethel, CT 06801 Tel: 203-792-8622 Fax: 203-796-7861

Email: customerservice@blackstoneind.com

Accessory Catalog 350F Prices effective 5/1/14 Prices subject to change without notice.