

**ADEXX**

# TSC Adjustable Slipping Torque Wrenches

## Torque range from 1 to 10 N.m

Compact and lightweight tools which eliminate overtightening in a wide range of applications


Want to know how to use this tool?



Watch our video

### Industry Sectors

Maintenance & Repair



Manufacturing



For Sockets... see page 65 or visit [www.torqueleader.com](http://www.torqueleader.com)

### Slipping Mechanism

Incorrect tightening is impossible



TSC 10



### Key Benefits

- These wrenches improve control of the fastening process by reducing the risk of both under and over tightening. This is achieved by Torqueleader's unique slipping mechanism, which gives the operator more time to react once the target torque is reached
- Helps maintain production output by minimising operator fatigue through the tool's ergonomic design
- Maximises productivity in restricted space through its compact slim line design
- Minimises tool replacement and downtime costs, through a long lasting durable design proven by Torqueleader's rigorous lifecycle testing process
- EPA Compliant** for use in Electrostatically Sensitive Applications

Order now... call our Sales Hotline +44 (0) 1483 894 476

Order Code	Model	← Calibrated Range →		Drive	k mm	g	Accuracy	ISO 6789 Class	
		Range	سسلسلس						
056020	TSC 5	1-5 N.m	0.05 N.m	1/4	195	235	+/- 6%	2A	✓
056040	TSC 10	2-10 N.m	0.1 N.m	1/4	195	235	+/- 6%	2A	✓
056060	TSC 45	10-45 lbf.in	0.5 lbf.in	1/4	195	235	+/- 6%	2A	✓
056080	TSC 90	20-90 lbf.in	1.0 lbf.in	1/2	195	235	+/- 6%	2A	✓



Calibrate your TSC Wrench... visit [www.torqueleader.com](http://www.torqueleader.com) for more details about our on site UKAS (United Kingdom Accreditation Service) Calibration Laboratory